

Test Requisition Form

Customer Information

Customer ID:

(If customer ID is not available, please fill the following details)

Name:

Full Address:

Contact Number(s):

Email Address:

TIN Number:

Customer Declaration

I/We hereby agree to the WQA Laboratory Terms of Service available in MWSC website and request MWSC to proceed with the requested laboratory tests.

Requested by:

Signature:

Requested date:

Sample Details

#	Description/Location	Type of sample (✓)	SM (✓)	Sample container			Sampled on		Test ID (Tests to be performed. Please refer to page 2)	Temp. (°C) (MWSC Use only)
				Volume (ml)	Type	No's	Date	Time		
1		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
2		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
3		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
4		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
5		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
6		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
7		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							
8		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/>	T <input type="checkbox"/> D <input type="checkbox"/>							

Keys:

SM - Sampled Methods: T - Tap flushed before sampling, D-Dipped from a well or a tank

Type of sample: S: Sea Water, G: Ground Water, R: Rainwater, D: Desalinated water, B: Bottled Water, W: Wastewater

Customer Remarks:

Return containers after testing

For MWSC use only

Sample received date:	TRRF number:	Test Requisition Form Number:
-----------------------	--------------	-------------------------------

Test ID no.	Parameter	Price (MVR)	Type of water	Container	Min. req volume (ml)
Chemical Analysis					
C1	Conductivity	127.93	S, G, R, D, B, W	P/G	100 ml
C2	pH	113.51	S, G, R, D, B, W	P/G	
C3	Salinity	141.72	S, G, R, D, B, W	P/G	
C4	Temperature	-	S, G, R, D, B, W	P/G	
C5	Total Dissolved Solids (TDS)	127.93	S, G, R, D, B, W	P/G	
C6	Total Suspended Solids (TSS)	83.21	S, G, R, D, B, W	P/G	20 ml
C7	Turbidity	55.22	S, G, R, D, B, W	P/G	20 ml
C8	Chlorine, Free (Cl ₂)	171.79	S, G, R, D, B, W	G	20 ml
C9	Chlorine, Total (Cl ₂)	171.79	S, G, R, D, B, W	G	30 ml
C10	Chlorine Dioxide (ClO ₂)	171.79	S, G, R, D, B, W	G	20 ml
C11	Bromine (Br ₂)	171.79	S, G, R, D, B, W	G	30 ml
C12	Chloride (Cl ⁻)	169.55	S, G, R, D, B, W	P/G	20 ml
C13	Chromium (Cr ⁶⁺)	99.65	S, G, R, D, B, W	P/G	20 ml
C14	Copper (Cu)	129.96	S, G, R, D, B, W	P/G	30 ml
C15	Fluoride (F ⁻)	80.29	S, G, R, D, B, W	P/G	20 ml
C16	Iodine, Total (I ₂)	171.79	S, G, R, D, B, W	G	30 ml
C17	Iron, Total (Fe)	94.21	S, G, R, D, B, W	P/G	30 ml
C18	Manganese (Mn)	156.80	S, G, R, D, B, W	P	20 ml
C19	Nitrate (NO ³⁻)	136.89	S, G, R, D, B, W	P/G	20 ml
C20	Nitrite (NO ²⁻)	71.97	S, G, R, D, B, W	P/G	20 ml
C21	Nitrogen Ammonia (N-NH ₃)	109.69	S, G, R, D, B, W	P/G	30 ml
C22	Sulphate (SO ₄ ²⁻)	79.66	S, G, R, D, B, W	P/G	30 ml
C23	Sulphide (S ²⁻)	85.50	S, G, R, D, B, W	P/G	30 ml
C24	Ozone	153.31	R, D, B	P/G	30 ml
C25	Aluminum	251.06	R, D, B	P/G	30 ml
C26	Barium	88.97	S, G, R, D, B, W	P/G	20 ml
C27	Cobalt	172.12	R, D, B	P	20 ml
C28	Nickel	172.12	R, D, B	P	20 ml
C29	Hardness, Calcium	73.67	S, G, R, D, B, W	P/G	250 ml
C30	Hardness, Magnesium	73.67	S, G, R, D, B, W		
C31	Hardness, Total	73.67	S, G, R, D, B, W		
C32	Magnesium	73.67	S, G, R, D, B, W		200 ml
C33	Calcium	73.67	S, G, R, D, B, W		
C34	Total Alkalinity	68.57	S, G, R, D, B, W	150 ml	
C35	Boron (B)	169.61	S, G, R, D, B, W	P	20 ml
C36	Phosphate(PO ₄ ³⁻)	79.91	S, G, R, D, B, W	P/G	20 ml
C37	Oxygen Demand, Chemical (COD)	216.69	G, R, D, B, W	G	20 ml
C39	Oxygen, Dissolved (DO)	156.84	S, G, R, D, B, W	G	200 ml
C40	Oxygen Demand, Biological (BOD ₅)	195.75	S, G, R, D, B, W	P/G	1000 ml
C41	Color, Apparent	131.74	S, G, R, D, B, W	P/G	300 ml
C42	Color, True	131.74	S, G, R, D, B, W	P/G	
C43	Phenols	409.41	S, G, R, D, B, W	G	1000 ml
C44	Zinc	87.32	S, G, R, D, B, W	P/G	30 ml
C49	Total petroleum hydrocarbon	392.45	S, G, R, D, B, W	P/G	50 ml
C50	Potassium		S, G, R, D, B, W	P/G	50 ml
Microbiological Analysis					
M1	Coliforms, Total	250.00	S, G, R, D, B, W	S	100 ml
M2	Coliforms, Faecal	250.00	S, G, R, D, B, W	S	100 ml
M3	E-Coli	250.00	S, G, R, D, B, W	S	100 ml
M4	Heterotrophic Plate Count (HPC)	475.36	S, G, R, D, B, W	S	100 ml
M5	Pseudomonas	200.50	S, G, R, D, B, W	S	250 ml
M8	Enterococcus	330.70	S, G, R, D, B, W	S	250 ml